ELSEVIER

Journal of Magnetism and Magnetic Materials 188 (1998) 400–403

Journal of magnetism and magnetic materials

Author index to volume 188

Adeyeye, A.O., J.A.C. Bland and C. Daboo, Magnetic and magneto-transport behavior in variable width $Ni_{80}Fe_{20}$ flat wires L1
Ahn, C.H., see Klein, L. 319
Al-Khafaji, M.A., W.M. Rainforth, M.R.J. Gibbs, H.A. Davies and J.E.L. Bishop, The effect of phase constitution on the magnetic structure of nanophase NdFeB alloys observed by magnetic force microscopy 109
Amako, Y., see Vert, R. 173
Andres, J.P., see Riveiro, J.M. 153
Antoshina, L.G., A.N. Goryaga and E.N. Kukudzhanova, Magnetostriction of ferrite of the system $CuGa_xAl_xFe_{2-2x}O_4$ ($x = 0.5$) with frustrated structure 228
Arakelian, V.H., Real and virtual normal modes on antiferromagnetic surface 85
Auric, P., see Gehanno, V. 310
Aziz, M., see Middleton, B.K. 248

Barthem, V., see El Massalami, M. 379
Beasley, M.R., see Klein, L. 319
Bednarek, S., Piezoinductive effect in ferromagnetic composites within an electrically conducting matrix 71
Bhar, G.C., U. Chatterjee, K. Tsukamoto, T. Yanagisawa, A. Obara and H. Shen, Magnetoresistance effect in bulk samples of $La_{0.67}Ca_{0.33}MnO_3$ under a low magnetic field 180
Bishop, J.E.L., see Al-Khafaji, M.A. 109
Bland, J.A.C., see Adeyeye, A.O. L1
Bobák, A., see Žukovič, M. 52
Bodryakov, V.Yu. and S.A. Nikitin, Magnetoelastic and inelastic properties of holmium single crystal 161
Bradbury, A., see Coverdale, G.N. 41
Branagan, D.J., see Shield, J.E. 353
Brauer, P., see Füzer, J. 286
Buschow, K.H.J., see Kelemen, M.T. 195

Calleja, J.F., see Krishnan, R. 35
Chantrell, R.W., see Coverdale, G.N. 41
Chatterjee, U., see Bhar, G.C. 180
Chen, J., H. Saito, S. Ishio and K. Kobayashi, Analysis of two-dimensional medium noise and magnetic cluster with MFM for $Co_{82}Cr_{13}Ta_5$ longitudinal magnetic recording media 260
Chuang, Y.C., see Tang, S.L. 387
Ciurzyńska, W.H., Magnetic susceptibility disaccommodation and Mössbauer studies of high silicon–iron alloy obtained by different methods 346
Contreras, M.C., see Krishnan, R. 35
Coverdale, G.N., R.W. Chantrell, G.A.R. Martin, A. Bradbury, A. Hart and D.A. Parker, Cluster analysis of the microstructure of colloidal dispersions using the maximum entropy technique 41

Da Costa, M.S., see El Massalami, M. 379
Da Cunha, J.B.M., see Flores, W.H. 17
Daboo, C., see Adeyeye, A.O. L1
Dai, D., see Fang, Q. 241
Damay, F., see Maignan, A. 185
Davies, H.A., see Al-Khafaji, M.A. 109
De Freitas, E., see Ferrante, M. 125
Dikshtein, I., A. Neiman and L. Schimansky-Geier, Spatio-temporal stochastic resonance of a domain wall motion in an inhomogeneous magnet 301
Dimitrov, D.V., G.C. Hadjipanayis, V. Papaefthymiou and A. Simopoulos, Surface-induced magnetism in α-Fe_2O_3/Ag multilayers 8
Ding, B.Z., see Tang, S.L. 387
Dormann, E., see Kelemen, M.T. 195
Drillon, M. and P. Panissod, Long-range ferromagnetism in hybrid compounds: The role of dipolar interactions 93

El Massalami, M., M.S. da Costa, M.A. Novak and V. Barthem, Magnetic properties of the quaternary intermetallic compounds RNiBC (R = Ho, Dy, Tb, Gd, $Dy_{1-x}Gd_x$) 379

Fang, Q., R. Fang, S. Zhang and D. Dai, Permanent magnetic $MnBiRE_{0.1}$ (RE = Dy, Sm) evaporated films, crystal structure and magnetic properties as a function of film thickness 241
Fang, R., see Fang, Q. 241
Fernández, A.I., see Krishnan, R. 35
Ferrante, M., E. de Freitas and V. Sinka, The mechanism of magnetic alignment in hot rolled Nd–Fe–B magnets 125

0304-8853/98/$19.00 © 1998 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(98)00307-2

ELSEVIER

Journal of Magnetism and Magnetic Materials 188 (1998) 400–403

Journal of magnetism and magnetic materials

Author index to volume 188

Adeyeye, A.O., J.A.C. Bland and C. Daboo, Magnetic and magneto-transport behavior in variable width $Ni_{80}Fe_{20}$ flat wires L1
Ahn, C.H., see Klein, L. 319
Al-Khafaji, M.A., W.M. Rainforth, M.R.J. Gibbs, H.A. Davies and J.E.L. Bishop, The effect of phase constitution on the magnetic structure of nanophase NdFeB alloys observed by magnetic force microscopy 109
Amako, Y., see Vert, R. 173
Andres, J.P., see Riveiro, J.M. 153
Antoshina, L.G., A.N. Goryaga and E.N. Kukudzhanova, Magnetostriction of ferrite of the system $CuGa_xAl_xFe_{2-2x}O_4$ ($x = 0.5$) with frustrated structure 228
Arakelian, V.H., Real and virtual normal modes on antiferromagnetic surface 85
Auric, P., see Gehanno, V. 310
Aziz, M., see Middleton, B.K. 248

Barthem, V., see El Massalami, M. 379
Beasley, M.R., see Klein, L. 319
Bednarek, S., Piezoinductive effect in ferromagnetic composites within an electrically conducting matrix 71
Bhar, G.C., U. Chatterjee, K. Tsukamoto, T. Yanagisawa, A. Obara and H. Shen, Magnetoresistance effect in bulk samples of $La_{0.67}Ca_{0.33}MnO_3$ under a low magnetic field 180
Bishop, J.E.L., see Al-Khafaji, M.A. 109
Bland, J.A.C., see Adeyeye, A.O. L1
Bobák, A., see Žukovič, M. 52
Bodryakov, V.Yu. and S.A. Nikitin, Magnetoelastic and inelastic properties of holmium single crystal 161
Bradbury, A., see Coverdale, G.N. 41
Branagan, D.J., see Shield, J.E. 353
Brauer, P., see Füzer, J. 286
Buschow, K.H.J., see Kelemen, M.T. 195

Calleja, J.F., see Krishnan, R. 35
Chantrell, R.W., see Coverdale, G.N. 41
Chatterjee, U., see Bhar, G.C. 180
Chen, J., H. Saito, S. Ishio and K. Kobayashi, Analysis of two-dimensional medium noise and magnetic cluster with MFM for $Co_{82}Cr_{13}Ta_5$ longitudinal magnetic recording media 260
Chuang, Y.C., see Tang, S.L. 387
Ciurzyńska, W.H., Magnetic susceptibility disaccommodation and Mössbauer studies of high silicon–iron alloy obtained by different methods 346
Contreras, M.C., see Krishnan, R. 35
Coverdale, G.N., R.W. Chantrell, G.A.R. Martin, A. Bradbury, A. Hart and D.A. Parker, Cluster analysis of the microstructure of colloidal dispersions using the maximum entropy technique 41

Da Costa, M.S., see El Massalami, M. 379
Da Cunha, J.B.M., see Flores, W.H. 17
Daboo, C., see Adeyeye, A.O. L1
Dai, D., see Fang, Q. 241
Damay, F., see Maignan, A. 185
Davies, H.A., see Al-Khafaji, M.A. 109
De Freitas, E., see Ferrante, M. 125
Dikshtein, I., A. Neiman and L. Schimansky-Geier, Spatio-temporal stochastic resonance of a domain wall motion in an inhomogeneous magnet 301
Dimitrov, D.V., G.C. Hadjipanayis, V. Papaefthymiou and A. Simopoulos, Surface-induced magnetism in α-Fe_2O_3/Ag multilayers 8
Ding, B.Z., see Tang, S.L. 387
Dormann, E., see Kelemen, M.T. 195
Drillon, M. and P. Panissod, Long-range ferromagnetism in hybrid compounds: The role of dipolar interactions 93

El Massalami, M., M.S. da Costa, M.A. Novak and V. Barthem, Magnetic properties of the quaternary intermetallic compounds RNiBC (R = Ho, Dy, Tb, Gd, $Dy_{1-x}Gd_x$) 379

Fang, Q., R. Fang, S. Zhang and D. Dai, Permanent magnetic $MnBiRE_{0.1}$ (RE = Dy, Sm) evaporated films, crystal structure and magnetic properties as a function of film thickness 241
Fang, R., see Fang, Q. 241
Fernández, A.I., see Krishnan, R. 35
Ferrante, M., E. de Freitas and V. Sinka, The mechanism of magnetic alignment in hot rolled Nd–Fe–B magnets 125

0304-8853/98/$19.00 © 1998 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(98)00307-2

Fischer, K., see Köbler, U. 333
Flores, W.H., S.R. Teixeira, J. Geshev, J.B.M. da Cunha, P.J. Schilling, A. Traverse and M.C. Martins Alves, Structural evolution and magnetic behavior of Co/Ag multilayers submitted to thermal annealing 17
Fruchart, D., see Vert, R. 173
Fujimori, H., see Kobayashi, N. 30
Fujimori, H., see Wang, Z.J. L269
Furusaka, M., see Oku, T. 291
Füzer, J., P. Brauer and O.V. Nielsen, Magnetic behaviour of amorphous ribbons with creep-induced helical anisotropy and their fluxgate properties 286

García-Landa, B., see Vert, R. 173
Geballe, T.H., see Klein, L. 319
Gehanno, V., P. Auric, A. Marty and B. Gilles, Structural and magnetic properties of epitaxial $Fe_{0.5}Pd_{0.5}$ thin films studied by Mössbauer spectroscopy 310
Geshev, J., see Flores, W.H. 17
Gibbs, M.R.J., see Al-Khafaji, M.A. 109
Gignoux, D., see Vert, R. 173
Gilles, B., see Gehanno, V. 310
Goryaga, A.N., see Antoshina, L.G. 228
Gutiérrez, M.O., see Krishnan, R. 35

Hadjipanayis, G.C., see Dimitrov, D.V. 8
Hart, A., see Coverdale, G.N. 41
Hervieu, M., see Maignan, A. 185
Himi, K., see Wang, Z.J. L269
Hou, D.-L., X.-F. Nie and H.-L. Luo, Magnetic anisotropy and coercivity of ultrafine iron particles 169

Idogaki, T., see Žukovič, M. 52
Imai, M., see Oku, T. 291
Inoue, M., see Kadomatsu, H. 213
Ishio, S., see Chen, J. 260
Itoh, Y., see Kadomatsu, H. 213

Jen, S.U., C.C. Liao and J.C. Lee, Anisotropic magnetoresistance and electrical resistivity of $Co_{1-\delta}Ni_{3+\delta}$. I. Single-crystal samples 367
Jen, S.U., C.C. Liao and J.C. Lee, Anisotropic magnetoresistance and electrical resistivity of $Co_{1-\delta}Ni_{3+\delta}$. II. Polycrystalline samples 373
Jezierski, A., see Kowalczyk, A. 361
Jin, X.M., see Tang, S.L. 387

Kadomatsu, H., Y. Itoh, K. Umeo, N. Matsumoto and M. Inoue, Transport properties of heavy fermion compound Ce_7Ni_3 213
Kadomtseva, A.M., see Popov, Y.F. 237
Kang, J.S., see Yang, C.J. 100
Kapitulnik, A., see Klein, L. 319
Kelemen, M.T., P. Rösch, E. Dormann and K.H.J. Buschow, The magnetic phase diagram of $Gd_XY_{1-X}Mn_6Ge_6$ 195
Khlybov, E.P., T. Palewski, K.A. Nenkov and J. Warchulska, The magnetic properties of some Al–Sr–Ln–O cuprates 219
Kim, S.W., see Yang, C.J. 100
Klein, L., A.F. Marshall, J.W. Reiner, C.H. Ahn, T.H. Geballe, M.R. Beasley and A. Kapitulnik, Large magnetoresistance of single-crystal films of ferromagnetic $SrRuO_3$ 319
Kobayashi, K., see Chen, J. 260
Kobayashi, N., S. Ohnuma, S. Murakami, T. Masumoto, S. Mitani and H. Fujimori, Enhancement of low-field-magnetoresistive response of tunnel-type magnetoresistance in metal–nonmetal granular thin films 30
Kobe, S., see McGuiness, P.J. 119
Köbler, U., R.M. Mueller, W. Schnelle and K. Fischer, Critical magnetic behaviour of a ferromagnet with antiferromagnetic fourth-order exchange interactions: GdMg 333
Kokanović, I., B. Leontić, J. Lukatela and K. Zadro, The magnetic susceptibility of hydrogen-doped $Zr_{67}Co_{33}$ metallic glass 138
Kowalczyk, A. and A. Jezierski, Electrical resistivity of $DyCo_3B_2$ compound 361
Krishnan, R., M.O. Gutiérrez, J.F. Calleja, M.C. Contreras and A.I. Fernández, Anisotropy and anisotropy dispersion of Fe/CoNbZr sandwiches studied by magneto-optical techniques 35
Kukudzhanova, E.N., see Antoshina, L.G. 228
Kumar, G.S., see Kumar, M.M. 203
Kumar, M.M., S. Srinath, G.S. Kumar and S.V. Suryanarayana, Spontaneous magnetic moment in $BiFeO_3$–$BaTiO_3$ solid solutions at low temperatures 203

Lee, J.C., see Jen, S.U. 367
Lee, J.C., see Jen, S.U. 373
Leontić, B., see Kokanović, I. 138
Li, C.P., see Shield, J.E. 353
Li, G.S., see Tang, S.L. 387
Liao, C.C., see Jen, S.U. 367
Liao, C.C., see Jen, S.U. 373
Liu, T.S., see Xin, Z.H. 65
Liu, W., see Zhang, Z.-D. 246
Lopez de la Torre, M.A., see Riveiro, J.M. 153
Lücke, M., see Recktenwald, A. 326
Lukatela, J., see Kokanović, I. 138
Luo, H.-L., see Hou, D.-L. 169

Maignan, A., C. Martin, F. Damay, M. Hervieu and B. Raveau, CMR properties of Cr-doped Mn(IV)-rich manganites $Ca_{1-x}Sm_xMnO_3$ 185
Marshall, A.F., see Klein, L. 319
Martin, C., see Maignan, A. 185
Martin, G.A.R., see Coverdale, G.N. 41
Martins Alves, M.C., see Flores, W.H. 17
Marty, A., see Gehanno, V. 310
Masumoto, T., see Kobayashi, N. 30
Matsumoto, N., see Kadomatsu, H. 213

Matsushita, Y., see Oku, T. 291
McGuiness, P.J., I. Škulj, A. Porenta and S. Kobe, Magnetic properties and microstructure in NdDyFeBZr–HDDR 119
Middleton, B.K., J.J. Miles and M. Aziz, High-density recording on magnetic thin film disk media 248
Miles, J.J., see Middleton, B.K. 248
Mitani, S., see Kobayashi, N. 30
Mitani, S., see Wang, Z.J. L269
Mitsudo, S., see Wang, Z.J. L269
Motokawa, M., see Wang, Z.J. L269
Mueller, R.M., see Köbler, U. 333
Muñiz, P., see Riveiro, J.M. 153
Murakami, S., see Kobayashi, N. 30

Neiman, A., see Dikshtein, I. 301
Nenkov, K.A., see Khlybov, E.P. 219
Nie, X.-F., see Hou, D.-L. 169
Nielsen, O.V., see Füzer, J. 286
Nikitin, S.A., see Bodryakov, V.Yu. 161
Novak, M.A., see El Massalami, M. 379

Obara, A., see Bhar, G.C. 180
Ohnuma, S., see Kobayashi, N. 30
Ohta, E., see Oku, T. 291
Oku, T., E. Ohta, T. Sato, M. Furusaka, M. Imai and Y. Matsushita, DC and AC magnetization and small-angle neutron scattering studies of strongly interacting particle systems 291
Oppeneer, P.M., Magneto-optical spectroscopy in the valence-band energy regime: relationship to the magnetocrystalline anisotropy 275

Palewski, T., see Khlybov, E.P. 219
Panissod, P., see Drillon, M. 93
Pankrats, A.I., see Vorotinov, A.M. 233
Papaefthymiou, V., see Dimitrov, D.V. 8
Parker, D.A., see Coverdale, G.N. 41
Petrakovskii, G.A., see Vorotinov, A.M. 233
Popov, Y.F., A.M. Kadomtseva, G.P. Vorob'ev, V.A. Sanina, M.-M. Tehranchi and A.K. Zvezdin, Magnetoelectric effect and field-induced 'incommensurate-homogeneous' phase transitions in $EuMn_2O_5$. 237
Porenta, A., see McGuiness, P.J. 119
Prudnikov, V., V. Silonov, M. Prudnikova and S. Rodin, Features of magnetic and kinetic properties of atomic-disordered solid γ-Mn_3Ga solutions in the antiferromagnetic spin glass state 393
Prudnikova, M., see Prudnikov, V. 393

Rainforth, W.M., see Al-Khafaji, M.A. 109
Raveau, B., see Maignan, A. 185
Recktenwald, A. and M. Lücke, Thermoconvection in magnetized ferrofluids: the influence of boundaries with finite heat conductivity 326
Reiner, J.W., see Klein, L. 319
Riveiro, J.M., P. Muñiz, J.P. Andres and M.A. Lopez de la Torre, About the possible observation and magnetic characterization of amorphous Ni 153
Rodin, S., see Prudnikov, V. 393
Rösch, P., see Kelemen, M.T. 195

Saito, H., see Chen, J. 260
Sanina, V.A., see Popov, Y.F. 237
Sato, T., see Oku, T. 291
Schilling, P.J., see Flores, W.H. 17
Schimansky-Geier, L., see Dikshtein, I. 301
Schnelle, W., see Köbler, U. 333
Shen, H., see Bhar, G.C. 180
Shield, J.E., C.P. Li and D.J. Branagan, Microstructures and phase formation in rapidly solidified Sm–Fe and Sm–Fe–Ti–C alloys 353
Silonov, V., see Prudnikov, V. 393
Simopoulos, A., see Dimitrov, D.V. 8
Sinka, V., see Ferrante, M. 125
Škulj, I., see McGuiness, P.J. 119
Srinath, S., see Kumar, M.M. 203
Sui, Y.-c., see Zhang, Z.-D. 246
Sun, X.K., see Zhang, Z.-D. 246
Suryanarayana, S.V., see Kumar, M.M. 203
Szymczak, H., see Vorotinov, A.M. 233

Takanashi, K., see Wang, Z.J. L269
Tang, S.L., C.H. Wu, B.W. Wang, X.M. Jin, G.S. Li, B.Z. Ding and Y.C. Chuang, Nonequilibrium phase transformation of $NdFe_{11}Ti$ compound during mechanical milling 387
Tehranchi, M.-M., see Popov, Y.F. 237
Teixeira, S.R., see Flores, W.H. 17
Tomey, E., see Vert, R. 173
Traverse, A., see Flores, W.H. 17
Tsukamoto, K., see Bhar, G.C. 180

Umeo, K., see Kadomatsu, H. 213

Vert, R., Y. Amako, D. Fruchart, B. García-Landa, D. Gignoux and E. Tomey, Magnetisation processes and spin reorientation in $DyFe_{10.5}Mo_{1.5}$ single crystal 173
Vo, N.V., Fabrication of wind-react and react-wind high-temperature superconducting Bi-2223/Ag coils and magnets 145
Vorob'ev, G.P., see Popov, Y.F. 237
Vorotinov, A.M., A.I. Pankrats, G.A. Petrakovskii, O.V. Vorotinova and H. Szymczak, ESR study of $LiCu_2O_2$ single crystals 233
Vorotinova, O.V., see Vorotinov, A.M. 233

Wang, B.W., see Tang, S.L. 387
Wang, Z.J., K. Takanashi, S. Mitsudo, K. Himi, S. Mitani, K. Watanabe, M. Motokawa and H. Fujimori, FMR investigation of magnetic anisotropies in Fe/Au superlattices L269
Warchulska, J., see Khlybov, E.P. 219

Watanabe, K., see Wang, Z.J. L269
Wei, G.Z., see Xin, Z.H. 65
Wu, C.H., see Tang, S.L. 387

Xiao, Q.-f., see Zhang, Z.-D. 246
Xin, Z.H., G.Z. Wei and T.S. Liu, Properties of the mixed spin-1 and spin-$\frac{3}{2}$ Ising system on a square lattice 65

Yanagisawa, T., see Bhar, G.C. 180
Yang, C.J., S.W. Kim and J.S. Kang, Magnetic properties of NdFeB thin films grown by a pulsed laser deposition 100

Zadro, K., see Kokanović, I. 138
Zhang, S., see Fang, Q. 241
Zhang, Z.-D., W. Liu, X.K. Sun, X.-g. Zhao, Q.-f. Xiao, Y.-c. Sui, and T. Zhao, Erratum to "Structure and magnetic properties of Nd–Fe–B–Ti prepared by mechanical alloying" [J. Magn. Magn. Mater. 184 (1998) 101–105] 246
Zhao, T., see Zhang, Z.-D. 246
Zhao, X.-g., see Zhang, Z.-D. 246
Žukovič, M., A. Bobák and T. Idogaki, Thermal and percolative properties of a diluted Ising metamagnet in a field 52
Zvezdin, A.K., see Popov, Y.F. 237

ELSEVIER

Journal of Magnetism and Magnetic Materials 188 (1998) 404–405

Journal of magnetism and magnetic materials

Subject index to volume 188

Amorphous systems
– metal 153
Anisotropy 169, L269, 291
– helical 286
– magnetocrystalline 173, 275
– perpendicular magnetic 310
Anisotropy dispersion 35
Anisotropy energy 275
Annealing 367
Antiferromagnetic spin glasses 393
Antiferromagnetism 85, 203
Atomic ordering 373

Biquadratic exchange 333
Buoyancy-driven instability 326

Cluster analysis 41
Cobalt–nickel 367, 373
Coercivity 119, 169
Composite materials 145
Compression 71
Conducting matrix 71
Critical behaviour 333
Critical temperature 379
Cuprates 219, 233

Diluted Ising metamagnet 52
Dipolar interaction 93
Dipole interaction 291
Disaccommodation 346
Disordered systems 138
Domain wall 301
Domain wall resistivity 319

Effective field theory 52
Elasticity 71
Electrical resistivity 30, 213, 361, 367, 373
Electromagnetic induction 71
Electronic structure 361
ESR linewidth 233

FePd 310
Ferrite 203
Ferrite spinels 228
Ferromagnet 333
Ferromagnetic composite 71
Ferromagnetic materials 173
Ferromagnetism 8
Ferromagnets 301
Film thickness 241
Fluxgate 286
FMR L269
Frustrated antiferromagnetics 393
Frustrated structure 228

Galvanomagnetic effects 138
Granular structure 30

Hall coefficient 213
Hall effect 393
HDDR 119
Heavy fermion compounds 213
High silicon–iron alloys 346
Holmium 161
Hybrid structure 30
Hysteresis loop 203

Intermetallic compound 195
Internal friction 161
Interstitial permanent magnets 353
Itinerant ferromagnetism 319

$L1_0$ structure 310
Longitudinal recording media 260

Magnetic alignment 125
Magnetic characterization 153
Magnetic cluster 260
Magnetic fluids 326
Magnetic force microscopy 109, 260
Magnetic materials 185
Magnetic ordering 93, 219
Magnetic particle 291
Magnetic phase diagram 195
Magnetic properties 17, 125, 241, 353, 379
Magnetic recording 248
Magnetic recording media 248
Magnetic sandwiches 35
Magnetization 286
Magnetization reversal L1
Magneto-optic Kerr effect L1
Magneto-optical sum rule 275
Magneto-transport L1
Magnetoelectric effect 203, 237
Magnetohydrodynamics 326
Magnetoresistance 180, 185, 319
– anisotropics 367, 373
– tunnel type 30
Magnetoresistive response 30
Magnetostriction 228
Manganese 185, 195, 393
Maximum entropy 41
Mechanical milling 387
Medium noise 260
Mesoscopic structures L1
Metals 138
Microstructure 353
Mixed spin Ising model 65
Model 71
Monte-Carlo methods 41
Mössbauer spectroscopy 310, 346
Multilayers 8, 17

Nanocrystalline materials 109
NdFeB 109, 119
Nonequilibrium phase transformation 387
Nonlinearity 326
Nuclear magnetic resonance 195

Oxide 185

Permanent magnetic film 241
Permanent magnets 100
Perovskites 180, 203
Phase transitions 52, 233, 237, 301
Polaritons 85
Polycrystalline materials 373
Processing 119
Pulsed laser deposition 100

0304-8853/98/$19.00 © 1998 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(98)00308-4

Quantum localisation 138
Quenching 367

R(Fe-Mo)12 compounds 173
Random field effect 291
Rapid solidification 353
Rare earth–cobalt intermetallics 361
Rare earth–Fe rich alloys 173
Rare earth intermetallic compounds 379, 387
Rare earth magnets 125
Rare earth manganites 237
Rare earths 195
React-wind 145
Resistivity 180
Ruthenates 319

Scaling 319
Single crystals 161, 367
Small-angle neutron scattering 291
Sol–gel method 180
Specific heat 52
Spin reorientation 173
Square lattice 65
Staggered susceptibility 52
Stochastic resonance 301
Structure 71
Superconducting coils 145
Superconducting magnets 145
Superlattices L269
Surface 85
Surface magnetism 8
Susceptibility
– AC and DC 219

Thermoelectric power 213
Thin films 17, 30, 100, 248, 310
Transverse susceptibility 35
Tricritical behaviour 52, 65

Ultrafine iron particles 169
Ultrathin film L269

Wind-react 145

Young's modulus 161

Zr 119